

Stock Guide

SPRING/SUMMER 2015

- Veneered Panels
- MDF Board
- Plywood
- Melamine Board
- Laminates
- Kitchen Worksurfaces
- Flame Retardant Panels
- Door Blanks

PRODUCT FINDER

SECTION 1

Plywood

| | |
|---|----------|
| Hardwood Plywood | Page 2 |
| Chinese Redwood Plywood | Page 2 |
| Marine Plywood BS1088 | Page 2 |
| Large Press 10 x 5 Chinese Hardwood Plywood | Page 2 |
| Birch Plywood | Page 2-3 |
| Finnish Birch BBX "Skinply" | Page 2-3 |
| Constructional Plywood Elliotts Pine | Page 2-3 |
| Sprucefloor Plywood | Page 2-3 |
| Antislip Plywood | Page 3 |

SECTION 2

Oriented Strand Board "OSB"

| | |
|-------------------------------|--------|
| Oriented Strand Board (O.S.B) | Page 3 |
|-------------------------------|--------|

SECTION 3

Medium Density Fibreboard "MDF"

| | |
|--|----------|
| Medite Premier MDF | Page 4 |
| Medite V313 & Medite Exterior MDF | Page 4-5 |
| Medite LITE MDF | Page 4-5 |
| Finsa Fibracolour Black MDF | Page 4-5 |
| Standard MDF (Thicker & Thinner Sizes) | Page 4-5 |
| Finsa Extra Large MDF | Page 4-5 |
| V Grooved & Beaded V313 MDF | Page 4-5 |

SECTION 5

Hardboard & White Painted MDF

| | |
|--|--------|
| Standard Hardboard | Page 5 |
| Perforated Hardboard | Page 6 |
| Oil Tempered Hardboard | Page 6 |
| White & Magnolia Painted MDF/Hardboard | Page 6 |
| Swiftguard Protection Board | Page 6 |

SECTION 6

Door Blanks

| | |
|--|--------|
| Firecheck, Lightweight & Solid Chipboard Door Blanks | Page 6 |
| Flame Break FD30 Firecheck Door Blanks | Page 6 |

SECTION 7

Pinboards & Insulation Boards

| | |
|------------------|--------|
| Pinboard | Page 7 |
| Insulation Board | Page 7 |

SECTION 8

Veneered Panels

| | |
|------------------|-----------|
| Veneered Plywood | Page 7 |
| Veneered MDF | Page 8-10 |

SECTION 9

Realwood Veneer, Reconstituted Veneer & Melamine Edgings

| | |
|----------------------|---------|
| 22mm & 30mm Edgings | Page 11 |
| Veneered Door Blanks | Page 11 |

SECTION 10

Veneered Panels

| | |
|------------------------|---------|
| Flexible Plywood & MDF | Page 12 |
| Flexible Veneer | Page 12 |

SECTION 11

Flexible Products

| | |
|------------------|---------|
| Flexible Plywood | Page 12 |
| Flexible MDF | Page 12 |
| Flexible Veneer | Page 12 |

SECTION 12

Flame Retardant Panels

| | |
|-------------------------|---------|
| Flame Retardant Plywood | Page 13 |
| Flame Retardant MDF | Page 13 |
| "Gyproc – Multiboard" | Page 13 |

SECTION 13

Melamine Faced Boards

| | |
|---|---------|
| Matt White & Magnolia Faced Chipboard | Page 13 |
| Matt White & Magnolia Faced MDF | Page 13 |
| Textured White, Moisture Resistant Melamine Faced MDF | Page 14 |
| Textured Brown, Moisture Resistant Melamine Faced MDF | Page 14 |
| Grey Melamine MDF | Page 14 |
| Beech Melamine Superpan | Page 14 |
| Oak Melamine Superpan | Page 14 |
| Walnut Melamine Superpan | Page 14 |

Woodgrain Effect Melamine Faced Superpan

| | |
|------------------------|------------|
| Superpan (MATT Finish) | Page 14-15 |
|------------------------|------------|

SECTION 14

Laminates & Worktops

| | |
|-------------------------------------|---------|
| Plain White Laminated MDF | Page 15 |
| Solid Wood Worktops | Page 15 |
| Worktop Oil for Solid Wood Worktops | Page 15 |

USEFUL INFORMATION

| | |
|--|---------|
| | Page 16 |
|--|---------|

*Orders over £50 excluding VAT

SECTION 1

Plywood

Hardwood Plywood BB/CC EXTERIOR WBP

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 4mm 2440 x 1220 | PBRV04A | 225 | 7.60 |
| 6mm 2440 x 1220 | PBRV06A | 165 | 11.40 |
| 9mm 2440 x 1220 | PBRV09A | 100 | 17.09 |
| 12mm 2440 x 1220 | PBRV12A | 75 | 22.79 |
| 15mm 2440 x 1220 | PBRV15A | 60 | 28.49 |
| 18mm 2440 x 1220 | PBRV18A | 50 | 34.18 |
| 22mm 2440 x 1220 | PBRV22A | 40 | 41.78 |
| 25mm 2440 x 1220 | PBRV25A | 36 | 47.48 |

Hardwood BB/CC

Marine Grade Far Eastern Plywood WBP - TO B.S 1088

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | PFEM06A | 100 | 11.40 |
| 9mm 2440 x 1220 | PFEM09A | 65 | 17.09 |
| 12mm 2440 x 1220 | PFEM12A | 50 | 22.79 |
| 18mm 2440 x 1220 | PFEM18A | 35 | 34.18 |
| 25mm 2440 x 1220 | PFEM25A | 25 | 47.48 |

Chinese Redwood

Chinese Redwood Plywood LARGE PRESS - EXTERIOR FACE / WBP POPLAR CORE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 4mm 3050 x 1525 | 0119 | 150 | 11.88 |
| 6mm 3050 x 1525 | 0120 | 165 | 17.81 |
| 9mm 3050 x 1525 | 0121 | 70 | 26.72 |
| 12mm 3050 x 1525 | 0122 | 50 | 35.63 |
| 18mm 3050 x 1525 | 0123 | 35 | 53.44 |
| 25mm 3050 x 1525 | 0124 | 24 | 74.22 |

Latvian Birch Plywood WBP - BB/WG QUALITY - LONG GRAIN

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|-------------------------|------------|----------|------------|
| LONG GRAIN | | | |
| 4mm 2440 x 1220 (BB/BB) | PLBE04A | 60 | 9.57 |
| 6.5mm 2440 x 1220 | PLBE06A | 90 | 15.54 |
| 9mm 2440 x 1220 | PLBE09A | 65 | 21.53 |
| 12mm 2440 x 1220 | PLBE12A | 50 | 28.72 |
| 15mm 2440 x 1220 | PLBE15A | 40 | 35.90 |
| 18mm 2440 x 1220 | PLBE18A | 35 | 43.07 |
| 24mm 2440 x 1220 | PLBE24A | 25 | 57.43 |

Marine Grade Far Eastern

Latvian Birch Plywood WBP - BB QUALITY

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | 0110 | 35 | 43.07 |

Latvian Birch Long Grain

Latvian Birch BB

Plywood

Continued

Finnish Birch Throughout Plywood BBX GRADE - WBP EXTERIOR - "SKINPLY"

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 1.5mm 1525 x 1525 | PBBX01Z | 375 | 2.80 |

Solid 1 Side Constructional Plywood WBP GLUED - "ELLIOTTIS PINE" - C +/C

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 9mm 2440 x 1220 | PEPP09A | 100 | 16.72 |
| 12mm 2440 x 1220 | PEPP12A | 75 | 22.29 |
| 18mm 2440 x 1220 | PEPP18A | 54 | 33.45 |

Spruce Plywood Type 111/111 CONFORMS TO BS 5268 PART 2

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | 0108 | 50 | 33.45 |

Sprucefloor Plywood T&G WBP CONFORMS TO BS 5268 PART 2

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 600 | 0107 | 68 | 16.18 |
| 22mm 2440 x 600 | 0109 | 56 | 17.97 |

Mesh / Film Faced Plywood

WBP - BIRCH CORE - 240GRM MESH / 120GRM SMOOTH FILM REVERSE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | 0135 | 22 | 43.00 |

SECTION 2

Oriented Strand Board

O.S.B EN 300 - TYPE 2 - STANDARD

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 8mm 2440 x 1220 | 0201 | 120 | 17.03 |
| 11mm 2440 x 1220 | 0202 | 84 | 23.42 |

O.S.B EN 300 - TYPE 3 - BBA CERTIFIED - MOISTURE RESISTANT

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | 0204 | 52 | 38.31 |

O.S.B EN 300 - TONGUE & GROOVED FLOORING BOARD - TYPE 3 - BBA CERTIFIED - MOISTURE RESISTANT.

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2400 x 600 T&G | 0205 | 110 | 19.16 |



Finnish Birch Throughout



Spruce Plywood



Sprucefloor Plywood T&G



O.S.B

SECTION 3

Medium Density Fibreboard

Medite Premier MDF Board

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | 0357 | 120 | 13.25 |
| 9mm 2440 x 1220 | 0358 | 96 | 19.88 |
| 12mm 2440 x 1220 | 0359 | 72 | 26.50 |
| 15mm 2440 x 1220 | 0366 | 60 | 28.17 |
| 18mm 2440 x 1220 | 0360 | 50 | 33.80 |
| 22mm 2440 x 1220 | 0361 | 41 | 41.31 |
| 25mm 2440 x 1220 | 0362 | 36 | 46.95 |
| 30mm 2440 x 1220 | 0378 | 25 | 63.60 |
| 36mm 2440 x 1220 | 0382 | 22 | 84.38 |
| 38mm 2440 x 1220 | 0383 | 20 | 89.07 |

Medite Premier MDF

Medite Premier MDF Board, Large Press Sizes

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 3050 x 1525 | 0363 | 120 | 36.60 |
| 18mm 3050 x 1525 | 0364 | 96 | 53.83 |
| 25mm 3050 x 1525 | 0365 | 72 | 76.25 |

Medite Premier MDF 10x5

Medite Premier MDF Board, Large Press Sizes

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 3050 x 1220 | 0374 | 120 | 16.66 |
| 9mm 3050 x 1220 | 0379 | 96 | 24.85 |
| 12mm 3050 x 1220 | 0375 | 72 | 27.77 |
| 15mm 3050 x 1220 | 0380 | 60 | 35.21 |
| 18mm 3050 x 1220 | 0376 | 50 | 40.00 |
| 22mm 3050 x 1220 | 0381 | 41 | 51.63 |
| 25mm 3050 x 1220 | 0377 | 36 | 58.33 |
| 30mm 3050 x 1220 | 0373 | 25 | 87.90 |

Medite Premier MDF 10x4

Medite V313 Moisture Resistant CLASS A LOW FORMALDEHYDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | MMMR06A | 120 | 14.07 |
| 9mm 2440 x 1220 | MMMR09A | 80 | 21.10 |
| 12mm 2440 x 1220 | MMMR12A | 60 | 28.13 |
| 15mm 2440 x 1220 | MMMR15A | 48 | 35.16 |
| 18mm 2440 x 1220 | MMMR18A | 40 | 42.19 |
| 22mm 2440 x 1220 | MMMR22A | 34 | 51.57 |
| 25mm 2440 x 1220 | MMMR25A | 30 | 58.60 |
| 30mm 2440 x 1220 | MMMR30A | 25 | 70.35 |

Medite LITE

Medite TRADE MDF CLASS A LOW FORMALDEHYDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MLIT18A | 50 | 31.40 |

Finsa Fibracolour Black Throughout STANDARD GRADE MDF BOARD

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 19mm 2500 x 1250 | 0384 | 42 | 44.60 |

Medite V313 Moisture Resistant CLASS A LOW FORMALDEHYDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 3050 x 1220 | MMMR12E | 72 | 35.16 |
| 18mm 3050 x 1220 | MMMR18E | 40 | 52.74 |
| 22mm 3050 x 1220 | MMMR22E | 34 | 64.46 |
| 25mm 3050 x 1220 | MMMR25E | 36 | 73.25 |

Medite V313 Moisture Resistant

Medium Density Fibreboard

Continued

Medite Exterior (THIS PRODUCT IS ZERO FORMALDEHYDE)



| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 2440 x 1220 | MMEX12A | 60 | 28.13 |
| 18mm 2440 x 1220 | MMEX18A | 40 | 42.19 |
| 25mm 2440 x 1220 | MMEX25A | 30 | 58.60 |

Standard Grade MDF GENERAL PURPOSE, CLASS A LOW FORMALDEHYDE (UNBRANDED)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 3mm 2440 x 1220 | 0348STD | N/A | 7.37 |

Standard Grade Thick MDF

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 45mm 2440 x 1200 | 0355 | 15 | 105.48 |
| 50mm 2440 x 1200 | 0356 | 15 | 117.20 |

Finsa Extra Large Standard MDF Board

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 3660 x 1830 | 0385 | 32 | 64.10 |
| 18mm 3660 x 1830 | 0386 | 21 | 93.40 |

V313 V Grooved & Beaded LONG & CROSS PROFILE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 9mm 2440 x 1220 | 0351 | 80 | 20.09 |
| 9mm 1220 x 2440 | 0352 | 80 | 20.09 |
| 18mm 2440 x 1220 | 0353 | 40 | 40.18 |
| 18mm 1220 x 2440 | 0354 | 40 | 40.18 |

SECTION 5

Hardboard & White Painted MDF

Standard Grade Hardboard

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 3mm 2440 x 1220 | 0501 | 150 | 9.30 |
| 3mm 1220 x 610 | 0502 | 300 | 2.34 |
| 6.4mm 2440 x 1220 | 0505 | 75 | 18.60 |



V Grooved & Beaded Long Profile



V Grooved & Beaded Cross Profile



Standard Grade Hardboard

Hardboard & White Painted MDF

Continued

Perforated

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 3.2mm 2440 x 1220 | 0506 | 125 | 9.30 |
| 6.4mm 2440 x 1220 | 0507 | 75 | 18.60 |

Perforated

Oil Tempered

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 3.2mm 2440 x 1220 | 0508 | 125 | 9.30 |
| 6.4mm 2440 x 1220 | 0510 | 75 | 18.60 |

Oil Tempered

White Painted MDF

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|-----------------------------|------------|----------|------------|
| 3.2mm 2440 x 1220 - 1 Side | 0511 | 100 | 9.30 |
| 6.4mm 2440 x 1220 - 2 Sides | 0512 | 75 | 18.60 |

Magnolia Painted 1 SIDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 3.2mm 2440 x 1220 | 0513 | 125 | 9.30 |

Swiftguard Protection Board POLYPROPYLENE IMPACT & SPLASH RESISTANT

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 2mm 2440 x 1220 | 0518 | 500 | 9.30 |

SECTION 6

Door Blanks

Sentry Exterior Faced SOLID HARDWOOD CORE - FIRECHECK TO BS 476 PART 22: 1987

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|-------------------------------------|------------|----------|------------|
| All Boards have 3.6mm Plywood Faces | | | |
| 54mm 2440 x 1220 | 0610 | 19 | 93.23 |
| 54mm 2135 x 915 | 0611 | 19 | 61.18 |

Sentry Lightweight Exterior Faced FIRECHECK TO BS 476 PART 22: 1987 (Q-MARK)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|-------------------------------------|------------|----------|------------|
| All Boards have 3.6mm Plywood Faces | | | |
| 44mm 2440 x 1220 | 0621 | 21 | 77.69 |
| 44mm 2135 x 915 | 0615 | 23 | 40.44 |

Flamebreak FD30 Firecheck Door Blank

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 45mm 2440 x 1220 | 0625 | 22 | 77.69 |
| 45mm 2135 x 915 | 0624 | 22 | 40.44 |

Flamebreak Firecheck Door

RichardRussell
Tel: 020 8684 7575

RichardRussell
Tel: 020 8684 7575

Swiftguard

Sentry Exterior Door Blank

SECTION 7

Pinboards & Insulation Boards

Karlit Pinboard

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

Please enquire as to Face colours. From time to time Face colours vary

| | | | |
|-----------------|------|----|------|
| 9mm 2440 x 1220 | 0702 | 94 | 7.77 |
|-----------------|------|----|------|

Light Ivory Faced Insulation Board

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

| | | | |
|------------------|---------|----|-------|
| 12mm 2440 x 1220 | IVOR12A | 90 | 10.78 |
|------------------|---------|----|-------|

SECTION 8

Veneered Panels

DECORATIVE VENEERED PLYWOOD

Quarter Cut Oak 1 SIDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

| | | | |
|------------------|---------|----|-------|
| 4mm 2440 x 1220 | R1Q004A | 50 | 7.60 |
| 6mm 2440 x 1220 | R1Q006A | 32 | 11.40 |
| 9mm 2440 x 1220 | R1Q009A | 22 | 17.09 |
| 12mm 2440 x 1220 | R1Q012A | 16 | 22.79 |

Crown Cut Oak 1 SIDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

| | | | |
|------------------|---------|----|-------|
| 4mm 2440 x 1220 | R1C004A | 50 | 7.60 |
| 6mm 2440 x 1220 | R1C006A | 32 | 11.40 |
| 9mm 2440 x 1220 | R1C009A | 22 | 17.09 |
| 12mm 2440 x 1220 | R1C012A | 16 | 22.79 |

White Beech 1 SIDE


| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

| | | | |
|------------------|---------|----|-------|
| 4mm 2440 x 1220 | R1SB04A | 50 | 7.60 |
| 6mm 2440 x 1220 | R1SB06A | 32 | 11.40 |
| 9mm 2440 x 1220 | R1SB09A | 22 | 17.09 |
| 12mm 2440 x 1220 | R1SB12A | 16 | 22.79 |

Cherry 1 SIDE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
|------------------------|------------|----------|------------|

| | | | |
|------------------|---------|----|-------|
| 4mm 2440 x 1220 | R1SC04A | 50 | 7.60 |
| 6mm 2440 x 1220 | R1SC06A | 32 | 11.40 |
| 12mm 2440 x 1220 | R1SC12A | 16 | 22.79 |



Karlit Pinboard



Quarter Cut Oak Veneered Ply



Crown Cut Oak Veneered Ply



White Beech Veneered Ply



Cherry Veneered Ply

Veneered Panels Continued

DECORATIVE VENEERED MDF

Stripey Sapele (Quarter Cut) 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NSAP06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NSAP10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NSAP13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NSAP16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NSAP19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NSAP19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NSAP26A | 15 | 63.85 |

Sapele MDF

Quarter Cut Oak 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NQWO06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NQWO10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NQWO13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NQWO16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NQWO19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NQWO19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NQWO26A | 15 | 63.85 |

Quarter Cut Oak MDF

Crown Cut Oak 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NCCO06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NCCO10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NCCO13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NCCO16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NCCO19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NCCO19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NCCO26A | 15 | 63.85 |

Crown Cut Oak MDF

Crown Cut White Ash 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NCCA06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NCCA10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NCCA13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NCCA16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NCCA19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NCCA19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NCCA26A | 15 | 63.85 |

Crown Cut White Ash MDF

Pine 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NCAP06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NCAP10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NCAP13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NCAP16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NCAP19A | 25 | 46.66 |
| 26mm 2440 x 1220 | NCAP26A | 15 | 63.85 |

Pine MDF

Veneered Panels

Continued

DECORATIVE VENEERED MDF

White Beech 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NWBE06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NWBE10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NWBE13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NWBE16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NWBE19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NWBE19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NWBE26A | 15 | 63.85 |

White Beech MDF

Steamed (Pink) Beech 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NPBE06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NPBE10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NPBE13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NPBE16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NPBE19A | 25 | 46.66 |
| 26mm 2440 x 1220 | NPBE26A | 15 | 63.85 |

Steamed Beech MDF

Maple 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NMAP06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NMAP10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NMAP13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NMAP16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NMAP19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NMAP19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NMAP26A | 15 | 63.85 |

Maple MDF

Cherry 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NCHE06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NCHE10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NCHE13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NCHE16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NCHE19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NCHE19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NCHE26A | 15 | 63.85 |

Cherry MDF

Qtr cut Wenge A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NWEN06A | 25 | 14.73 |
| 19mm 2440 x 1220 | NWEN19A | 25 | 46.66 |

Qtr cut Wenge MDF

Veneered Panels Continued

DECORATIVE VENEERED MDF

Crown Cut Sapele 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NCCS06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NCCS10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NCCS13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NCCS16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NCCS19A | 25 | 46.66 |
| 26mm 2440 x 1220 | NCCS26A | 15 | 63.85 |

Walnut MDF

American Black Walnut 2 SIDES - A/B GRADE

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | NABW06A | 50 | 14.73 |
| 9mm 2440 x 1220 | NABW10A | 50 | 24.55 |
| 13mm 2440 x 1220 | NABW13A | 30 | 31.92 |
| 16mm 2440 x 1220 | NABW16A | 25 | 39.29 |
| 19mm 2440 x 1220 | NABW19A | 25 | 46.66 |
| 19mm 3050 x 1220 | NABW19E | 20 | 58.32 |
| 26mm 2440 x 1220 | NABW26A 1 | 5 | 63.85 |

Zebrano MDF

Zebrano

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|----------------------------|------------|----------|------------|
| 6mm 2440 x 1220 A/Balancer | NZEB06A | 20 | 14.73 |
| 19mm 2440 x 1220 A/B | NZEB19A | 25 | 46.66 |

Cedar of Lebanon

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|----------------------------|------------|----------|------------|
| 6mm 2440 x 1220 A/Balancer | NLEB06A | TBA | 14.73 |
| 19mm 2440 x 1220 A/B | NLEB19A | TBA | 46.66 |

Cedar MDF

Macassar RECONSTITUTED VENEERED MDF

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|----------------------------|------------|----------|------------|
| 6mm 2440 x 1220 A/Balancer | NMAC06A | TBA | 14.73 |
| 19mm 2440 x 1220 A/B | NMAC19A | TBA | 46.66 |

Ebony RECONSTITUTED VENEERED MDF

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|----------------------------|------------|----------|------------|
| 6mm 2440 x 1220 A/Balancer | NEB006A | TBA | 14.73 |
| 19mm 2440 x 1220 A/B | NEB019A | TBA | 46.66 |

Macassar MDF

Ebony MDF

SECTION 9

Realwood Veneer, Reconstituted Veneer & Plain Melamine Edgings

22mm Thickness Wood Edgings ALL 50 METRE ROLLS - PRE GLUED, IRON ON

| FINISH & THICKNESS | STOCK CODE |
|--------------------------|------------|
| White Ash - 22mm | EASH20Z |
| White Beech - 22mm | EBEE20Z |
| Pink Beech - 22mm | EBEE20ZA |
| Cherry - 22mm | ECHE20Z |
| Oak - 22mm | EOAK20Z |
| Pine - 22mm | EPIN20Z |
| Mahogany - 22mm | EMAH20Z |
| Maple - 22mm | EMAP20Z |
| American Walnut - 22mm | EABW20Z |
| Wenge - 22mm | EWEN20Z |
| Zebrano - 22mm | EZEB20Z |
| Cedar - 22mm | ECED20Z |
| Ebony (Reconstituted) | EEOB20Z |
| Macassar (Reconstituted) | EMAC20Z |



22mm White Ash



22mm Mahogany

22mm Thickness Melamine Edgings ALL 50 METRE ROLLS - PRE GLUED, IRON ON

| FINISH & THICKNESS | STOCK CODE |
|-----------------------------|------------|
| White Melamine - 22mm | EWME20Z |
| Black Melamine - 22mm | EBLM20Z |
| Magnolia Melamine - 22mm | EMME20Z |
| Grey Melamine - 22mm | EGRM20Z |
| Oak Melamine - 22mm | ESPO20Z |
| Beech Melamine - 22mm | ESPB20Z |
| Walnut Melamine - 22mm | ESPW20Z |
| Dark Walnut Melamine - 22mm | ESDW20Z |
| Maple Melamine - 22mm | ESPM20Z |



22mm Ebony

30mm Thickness Edgings ALL 50 METRE ROLLS - PRE GLUED, IRON ON

| FINISH & THICKNESS | STOCK CODE |
|------------------------|------------|
| White Ash - 30mm | EASH26Z |
| White Beech - 30mm | EBEE26Z |
| Pink Beech - 30mm | EBEE26ZA |
| Cherry - 30mm | ECHE26Z |
| Oak - 30mm | EOAK26Z |
| Pine - 30mm | EPIN26Z |
| Mahogany - 30mm | EMAH26Z |
| Maple - 30mm | EMAP26Z |
| American Walnut - 30mm | EABW26Z |



30mm Cherry

50mm Thickness Edgings ALL 50 METRE ROLLS - PRE GLUED, IRON ON

| FINISH & THICKNESS | STOCK CODE | | |
|--------------------|------------|--|--|
| Walnut - 50mm | EABW50Z | | |
| Oak - 50mm | EOAK50Z | | |
| White - 50mm | EWME50Z | | |



50mm Walnut

SECTION 10 Veneered Door Blanks

DECORATIVE VENEERED DOOR BLANKS

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|---|------------|----------|------------|
| Solid Chipboard Core - Please allow 48 Hours for delivery | | | |
| 45mm 2135 x 905 - SAPELE | DSAP45Z | N/A | 48.35 |
| 45mm 2135 x 905 - OAK | DOAK45Z | N/A | 48.35 |
| 45mm 2135 x 905 - ASH | DASH45Z | N/A | 48.35 |
| 45mm 2135 x 905 - BEECH | DBEE45Z | N/A | 48.35 |

Sapele Door Blank

SECTION 11 Flexible Products

Flexible Plywood

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 5mm 2440 x 1220 | PFLE05A | 25 | 9.50 |
| 5mm 1220 x 2440 | PFLE05C | 25 | 9.50 |
| 8mm 2440 x 1220 | PFLE08A | 25 | 15.20 |
| 8mm 1220 x 2440 | PFLE08C | 25 | 15.20 |

Ash Door Blank

Flexible MDF

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | 1001 | 30 | 9.79 |
| 6mm 1220 x 2440 | 1002 | 30 | 9.79 |

Flexible Plywood

Flexible Veneer

All 1mm 2440 x 1220 Paper Backed Realwood Veneers

A £10 Packaging & Handling Charge applies on Small Quantities (not Oak & Walnut)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK |
|------------------------|------------|----------|
| C/C White Maple | VCWM01A | 10 |
| C/C White Ash | VCWA01A | 10 |
| C/C White Oak | VCW001A | 10 |
| C/C Cherry | VCCH01A | 10 |
| Q/C Sapele | VQSA01A | 10 |
| Rotary Pine | VROP01A | 10 |
| Steamed Beech | VSTB01A | 10 |
| White Beech | VWHB01A | 10 |
| Black Walnut | VABW01A | 10 |

Flexible MDF

Flexible Veneer - Ash

SECTION 12

Flame Retardant Panels

FR Plywood Euro Class C (USED TO BE CLASS 1) - COMPLIES TO BS 476 PART 7

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 4mm 2440 x 1220 | PFRT04A | 150 | 7.60 |
| 5.5mm 2440 x 1220 | PFRT06A | 100 | 11.40 |
| 9mm 2440 x 1220 | PFRT09A | 100 | 17.09 |
| 12mm 2440 x 1220 | PFRT12A | 50 | 22.79 |
| 18mm 2440 x 1220 | PFRT18A | 35 | 34.18 |



Flame Retardant Plywood Euro Class C

MDF - Medite Euro Class C (PREVIOUSLY CLASS 1) COMPLIES TO BS 476 PART 7




| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | MFRT06A | 120 | 14.07 |
| 9mm 2440 x 1220 | MFRT09A | 80 | 21.10 |
| 12mm 2440 x 1220 | MFRT12A | 60 | 28.13 |
| 15mm 2440 x 1220 | MFRT15A | 48 | 35.16 |
| 18mm 2440 x 1220 | MFRT18A | 40 | 42.19 |
| 25mm 2440 x 1220 | MFRT25A | 30 | 58.60 |

MDF - Medite Euro Class B (PREVIOUSLY CLASS 0) COMPLIES TO BS 476 PART 6



| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 2440 x 1220 | 1101 | 60 | 28.13 |
| 12mm 3050 x 1220 | 1105 | 60 | 35.16 |
| 18mm 2440 x 1220 | 1102 | 40 | 42.19 |
| 18mm 3050 x 1220 | 1106 | 40 | 52.74 |
| 25mm 2440 x 1220 | 1103 | 30 | 58.60 |



Flame Retardant MDF Euro Class C

"Gyproc - Multiboard" Euro Class B (USED TO BE CLASS 0) FLAME RETARDANT

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2400 x 1200 | GFRT06Z | 40 | 19.80 |
| 10mm 2400 x 1200 | GFRT10Z | 40 | 33.00 |
| 12.5mm 2400 x 1200 | GFRT12Z | 32 | 40.70 |

FR Euro Class B (USED TO BE CLASS '0') HARDWOOD PLYWOOD



| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | 1104 | 35 | 34.18 |



Flame Retardant MDF Euro Class B

SECTION 13


Melamine Faced Boards

White Chipboard (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 15mm 2440 x 1220 | CWHM15A | 42 | 32.42 |
| 18mm 2440 x 1220 | CWHM18A | 40 | 38.90 |

Magnolia Chipboard (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 15mm 2440 x 1220 | CMAM15A | 42 | 32.42 |
| 18mm 2440 x 1220 | CMAM18A | 40 | 38.90 |



Gyproc - Multiboard



FR Euro Class B

Melamine Faced Boards

Continued

White MDF (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 12mm 2440 x 1220 | MWHM12A | 60 | 28.13 |
| 15mm 2440 x 1220 | MWHM15A | 60 | 35.16 |
| 18mm 2440 x 1220 | MWHM18A | 40 | 42.19 |
| 18mm 3050 x 1220 | MWHM18E | 40 | 52.74 |
| 25mm 2440 x 1220 | MWHM25A | 30 | 58.60 |

White MDF (MATT Finish)

Magnolia MDF (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MMAM18A | 40 | 42.19 |

White MDF (TEXTURED Finish) MOISTURE RESISTANT

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MWTX18A | 40 | 42.19 |

Brown MDF (TEXTURED Finish)

Brown MDF (TEXTURED Finish) MOISTURE RESISTANT

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MBTX18A | 40 | 42.19 |

Grey MDF (TEXTURED Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 6mm 2440 x 1220 | MGRM06A | 120 | 18.60 |
| 18mm 2440 x 1220 | MGRM18A | 40 | 42.19 |

Grey MDF (TEXTURED Finish)

Black MDF (TEXTURED Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MBLT18A | 40 | 42.19 |

Woodgrain Effect Melamine Faced Superpan

Oak Superpan (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 10mm 2440 x 1220 | MSP010A | 60 | 21.00 |
| 18mm 2440 x 1220 | MSP018A | 40 | 37.00 |

Oak Superpan

Beech Superpan (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 10mm 2440 x 1220 | MSPB10A | 60 | 21.00 |
| 18mm 2440 x 1220 | MSP018A | 40 | 37.00 |

Walnut Superpan (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 18mm 2440 x 1220 | MSPW18A | 40 | 37.00 |

Dark Walnut Superpan (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 10mm 2440 x 1220 | MSDW10A | 60 | 21.00 |
| 18mm 2440 x 1220 | MSDW18A | 40 | 37.00 |

Walnut Superpan

Woodgrain Effect Melamine Faced Superpan

Continued

Maple Superpan (MATT Finish)

| THICKNESS & DIMENSIONS | STOCK CODE | PER PACK | WEIGHT(KG) |
|------------------------|------------|----------|------------|
| 10mm 2440 x 1220 | MSPM10A | 60 | 21.00 |
| 18mm 2440 x 1220 | MSPM18A | 40 | 37.00 |

SECTION 14

Laminates & Worktops

MDF with Plain White Laminate 2 SIDES

| THICKNESS & DIMENSIONS | STOCK CODE | WEIGHT(KG) |
|------------------------|------------|------------|
| 20mm 2440 x 1220 | MWEY17A | 45.93 |

SOLID WOOD WORKTOPS "SELECT" RANGE - 40MM WIDE STAVES

Premium Beech

| THICKNESS & DIMENSIONS | STOCK CODE | WEIGHT(KG) |
|------------------------|------------|------------|
| 27mm 4200 x 650 BEECH | 1347 | 60.81 |
| 40mm 4200 x 650 BEECH | 1345 | 90.09 |
| 40mm 3450 x 900 BEECH | 1346 | 102.47 |
| 40mm 3450 x 650 BEECH | 13107 | 74.00 |

Iroko

| THICKNESS & DIMENSIONS | STOCK CODE | WEIGHT(KG) |
|------------------------|------------|------------|
| 27mm 4200 x 650 IROKO | 1352 | 60.81 |
| 27mm 3450 x 900 IROKO | 1353 | 69.16 |
| 40mm 3450 x 900 IROKO | 1351 | 102.47 |
| 40mm 4200 x 650 IROKO | 1350 | 90.09 |

African Black Walnut 27MM OR 40MM WIDE STAVES - PLEASE CHECK

| THICKNESS & DIMENSIONS | STOCK CODE | WEIGHT(KG) |
|------------------------|------------|------------|
| 40mm 4200 x 650 WALNUT | 1354 | 90.09 |

European Oak

| THICKNESS & DIMENSIONS | STOCK CODE | WEIGHT(KG) |
|------------------------|------------|------------|
| 27mm 4200 x 650 OAK | 1356 | 60.81 |
| 40mm 4100 x 650 OAK | 13129 | 87.95 |
| 40mm 3450 x 900 OAK | 1358 | 102.47 |
| 40mm 4200 x 650 OAK | 1355 | 90.09 |
| 40mm 3450 x 650 OAK | 13110 | 74.00 |
| 40mm 3000 x 650 OAK | 13128 | 64.35 |

Worktop Oil & Accessories

| PRODUCT | STOCK CODE |
|----------------------------|------------|
| Select Clear Satin Wax Oil | 16358 |
| Wood Protector | 16359 |



MDF with Plain White Laminate



Premium Beech



Iroko



African Black Walnut



European Oak

USEFUL INFORMATION

Technical Information

Class C (formerly Class 1) = A Fire Rating relating to our Stocked Flame Retardant MDF, Plywood & Hardboard. Essentially it means the Product complies to a Half Hour Firecheck (to B.S 476 Part 7)

Class B (formerly Class 0) = A fire rating the same as the above but with a One hour firecheck (to B.S 476 Part 6)

M.R or V313 = A Moisture Resistant term. Generally relates to MDF products. We also sell Exterior Grade Products so do be careful not to get the two mixed up!

P4 = A Standard Grade Chipboard.

P5 = A Moisture Resistant Grade Chipboard.

P6 = A Flooring (Industrial) Grade for Mezzanine Flooring Chipboard.

P7 = A Moisture Resistant Flooring (Industrial) Grade of Mezzanine Flooring Chipboard.

T & G = Tongued & Grooved (T & G 4 = all 4 edges and T & G 2 = only 2 long edges)

W.B.P = A Term used mainly for plywood's that are of Exterior Grading.

Class A = A special low Formaldehyde emission board. Many of our stocked Standard Grade MDF is Class A. If you are unsure or require further information, please ask a member of the Sales Team.

A/A = A Premium Veneered Board that has been veneered with a top quality "A" grade veneer on both sides.

A/B = A Premium Veneered Board that has been veneered with a top quality "A" grade veneer on one side and a lesser quality veneer on the reverse. This is the standard classification for 2 sided veneered boards.

A/-B = A standard to lower quality Veneered Board – we do not stock this variety so please beware of any others that may disguise the true industry classification.

BB = A Grading for a good quality plywood face i.e on a Birch Decorative Plywood. This would mean it was this quality on both sides having minimal "wood defects" and blemishes.

BB/WG = Same as above but the WG refers to a lesser quality reverse with more defects, blemishes and filler.

Service Area

We can offer delivery within our Service Area as per the attached Postcode Map of London and Greater London. Outside these areas we can consider any delivery, however this may be subject to Separate Delivery Charge being levied based upon the nature of the Goods on Order.

Size Conversions

| Metric (mm) | Feet | Inches |
|-------------|-------------|----------|
| 915 X 610 | 3 X 2 | 36 X 24 |
| 915 X 915 | 3 X 3 | 36 X 36 |
| 1220 X 610 | 4 X 2 | 48 X 24 |
| 1220 X 915 | 4 X 3 | 48 X 36 |
| 1220 X 1220 | 4 X 4 | 48 X 48 |
| 1525 X 915 | 5 X 3 | 60 X 36 |
| 1525 X 1220 | 5 X 4 | 60 X 48 |
| 1525 X 1525 | 5 X 5 | 60 X 60 |
| 1830 X 610 | 6 X 2 | 72 X 24 |
| 1830 X 915 | 6 X 3 | 72 X 36 |
| 1220 X 1830 | 6 X 4 | 72 X 48 |
| 1980 X 686 | 6'6" X 2'5" | 78 X 27 |
| 1981 X 762 | 6'6" X 2'6" | 78 X 30 |
| 1980 X 838 | 6'6" X 2'9" | 78 X 33 |
| 2030 X 815 | 6'8" X 2'8" | 80 X 32 |
| 2135 X 915 | 7 X 3 | 84 X 36 |
| 2440 X 1220 | 8 X 4 | 96 X 48 |
| 2440 X 1830 | 8 X 6 | 96 X 72 |
| 2745 X 1220 | 9 X 4 | 108 X 48 |
| 2745 X 1830 | 9 X 6 | 108 X 72 |
| 3050 X 1220 | 10 X 4 | 120 X 48 |
| 3050 X 1525 | 10 X 5 | 120 X 60 |
| 3660 X 1525 | 12 X 5 | 144 X 60 |
| 3660 X 1830 | 12 X 6 | 144 X 72 |
| 5185 X 1830 | 17 X 6 | 204 X 72 |
| 2440 X 600 | 8 X 2 | 96 X 24 |



OPENING HOURS

WAREHOUSE

Monday to Friday 8am to 4.30pm

Saturday 8am to 12 noon

Sunday – CLOSED

OFFICES

Monday to Friday 7am to 5pm

Saturday 8am to 12 noon

Sunday – CLOSED

We are closed on Public Holidays throughout the year and Christmas
Opening times are Published in advance in October.



Richard Russell (Panels) Limited
Units 1-3 Beddington Trading Park
Croydon, Surrey, CRO 4TT

TEL 020 8684 7575

FAX 020 8684 2586

EMAIL sales@richardrussell.co.uk

richardrussell.co.uk